Memo-Matic*

BOOK 41

KNITTING FASHIONS BY SINGER

Memo-Matic*
KNITTING FASHIONS
BY SINGER
abbreviations

Alt	Alternate
Beg	Beginning
BOCO	Bound off, cast on
C 1	First Contrast
Carr	Carriage
Dec	Decrease
FF	Fully fashioned decrease or increase 3 sts in from edge
Foll	Following
HP	Holding Position
Inc	Increase
K	Knit
LHS	Left Hand Side
MT minus 1	Main Tension minus one full number i.e. if MT is 5 minus 1 is 4
MT minus .	Main Tension minus one dot i.e. if MT is 5, MT minus . is 4.
MT plus 1	Main Tension plus one full number i.e. if MT is 5, MT plus 1 is 6
MT plus	Main Tension plus one dot i.e. if MT is 5, MT plus . is 5.
MC	Main Colour
MM	Main Machine
A	Non Working Position
RC	Row Counter
R	Ribber
RT	Rib Tension
RHS	Right Hand Side
St(s)	Stitch (es)
TD	Tension Dial
Tog	Together
WP	Working Position
YUD	Yarn Under inside needle at Holding Position

INSTRUCTION
2 PLY RIBBINING

1. Blue levers on ribber up.
2. Use close knit bar.
3. Fine cast on (page 17).
4. Both tension dials tight as possible for selvedge.
5. Loosen off approximately 2 movements (i.e. clicks) on ribber and 4 on knitter.
6. Hold yarn under machine straight down, when changing colours.

CAUTION

These garments have been designed exclusively for the yarns specified. We strongly recommend the use of this yarn to obtain the correct results.

Published with All Rights Reserved by

SINGER AUSTRALIA LIMITED

backless evening top 1

Instructions suitable for Models with SRP 322 Ribber.

MEASUREMENTS –

To fit size	10	12	14
Bust	81 cms	86 cms	91 cms

MATERIALS –

Riverhart "Champagne" 2-Ply
about 70 grams

TENSION – 38 sts and 58 rows to 10 cms over st st. Suggested tension TD 2. Tension for Drive Lace TD 3. M/m. TD 2 on Ribber.
Please check tension to ensure accuracy.

PATTERN – Punch card No. 6RA Drive Lace.

BACK – Select 121(131, 141) needles for single rib using close knit bar. TD tightest possible. BOCO. TD 0 rib to 120 rows. Cast off.

FRONT – Cast on as back, rib to 119 rows. Insert Punch card No. 6RA. DL. Rib last row. Transfer to ribber. RCO. Set Machine for Drive Lace. See page 37. Inc 1 st at RHS. On M/m bring 121(131, 141) needles to B. Work in patt to 50 rows. TD 3, MM, TD 2 RR. Note Punch Card row. Take sts on RHS of 0 off with waste.
Working on LHS only. RCO. Dec 1 st at ea end of next row and foll 6th row 4(5, 6) times. (51, 54, 57 sts).
At neck edge dec 1 st every 4th row, while cont to dec at armhole edge every 6th row to 31(33, 35) sts. (76, 86, 92 rows). Dec 1 st at ea end of this and the next 4th row twice. Dec 1 st ea end of every 3rd row to RC 102(113, 124), i.e. 13 sts. Dec 1 st ea end of alt rows until 5 sts rem. RC 110 (121, 132) RCO. St st on R/r only 150 rows. Cast off. Replace second front on needles. Reset card on M/m. Work as right front reversing shapings.

TO FINISH – Using mattress stitch, join rib seams. Draw thread through 50 rows at centre V neck for gathers at bust. Sew in ends.

WASHING INSTRUCTIONS – Warm hand wash and rinse thoroughly. Do not wring. Wrap in towel to remove excess water. Dry flat out of sunlight. Press lightly with cool iron only. Do not use steam iron.

BACKLESS EVENING TOP

lady's lace top 2

Instructions suitable for Models with SRP 322 Ribber

MEASUREMENTS –

To fit size	8	10	12	14	16
Garment measures					
Bust	78 cms	83 cms	88 cms	93 cms	98 cms
Side seam	35 cms	35 cms	35 cms	35 cms	35 cms
Length from shoulder	53.3 cms	54 cms	54.7 cms	55.4 cms	56 cms

MATERIALS – Riverhart "Champagne"
about 100(120, 130, 140) grams ea of 2 colours.

TENSION – MT = 34 sts and 45 rows to 10 cm over st st. Suggested tension TD 2, 33 sts and 51 rows to 10 cm over pattern – DLT. Suggested Drive Lace tension Ribber TD 5 Main Machine TD 6. Please check tension to ensure accuracy.

NOTE – Yarn is used double throughout.

PATTERN – Series 72 Card 339A Drive Lace.

BACK – Select 129(137, 145, 153, 161) needles for K 1 P 1 rib. MT minus 3, rib 30 rows. RCO. Transfer to ribber, inc 1 st on RHS. Insert punch card DLT. K 2 rows st st to set patt. Comm drive lace *. K to RC 144.

Shape armhole: RCO. Cast off 4(5, 6, 7, 8) sts at beg next 2 rows. Dec 1 st ea end every row 3 times, alt rows 4(5, 6, 7, 8) times, 4th rows 4 times. (100, 104, 108, 112, 116) sts. K to RC 96(100, 104, 108, 112).

Shape neck and shoulder: Return 65(68, 71, 74, 77) sts end opp carr, on waste to A. Work on rem 35(36, 37, 38, 39) sts, dec 1 st at neck edge every row 10 times, and at the same time, (K 1 row, push 5 sts to D, K 1 row, YUD) 4 times, K 1 row. K 1 row across all sts. Remove on waste. Return 35(36, 37, 38, 39) sts end opp carr to B and work to corres. Remove centre sts on waste.

FRONT – As for back to*. Work in patt to RC 120.

Shape neck: Return to A 65(69, 73, 77, 81) sts with waste at end opp carr. Work on rem 65(69, 73, 77, 81) sts, dec 1 st at neck edge 4th rows 15(16, 17, 18, 19) times, then 5th row 10 times. (25, 26, 27, 28, 29 sts rem). When RC 144,

Snape armhole: RCO. Cast off 4(5, 6, 7, 8) sts beg next row. K 1 row. Dec 1 st armhole edge every row 3 times, alt rows 4(5, 6, 7, 8) times, 4th row 4 times. When RC 96 (100, 104, 108, 112).

Shape shoulder as for back.

Remove sts on waste.

Join yarn to rem sts and shape to corres.

FINISHING – Graft join shoulder seams. Using mattress st, join side seam. Using crochet hook and double strand of yarn, work 1 row dc around neckline, then work 2 rows DC into back loop only. Repeat for ea armhole.

WASHING INSTRUCTIONS – Warm hand wash and rinse thoroughly. Do not wring. Wrap in towel to remove excess water. Gentle machine wash and spin also satisfactory. Dry flat away from sunlight. Press with cool iron only. Do not use steam iron.



LADY'S LACE TOP

lace top 3

Instructions suitable for all Models with Ribber.

MEASUREMENTS –

To fit size	10	12	14
Bust	81 cms	86 cms	91.5 cms
Back length	45 cms	46.5 cms	48 cms

MATERIALS –

Riverhart "Champagne"
about 150(170, 190) grams
1 crochet hook

TENSION – MT = 36 sts and 62 rows to 10 cm measured over double rib. Please check tension to ensure accuracy. Suggested tension TD 1. Use close knit bar, count surface stitches only.

NOTE – All numbers are given for MM only, to be worked on both MM and R.

PATTERN – Stitches to be transferred every 4th row as shown on graph on Main Bed only. Patt to be worked on front and sleeves only. *See Graph, Page 10.*



LACE TOP

BACK – Set machine for double rib. Select 111(119, 127) sts on ea bed. BOCO tightest possible.
MT, K to 170(180, 190) rows.

Shape armholes: RCO. Cast off 5(6, 7) sts on both beds beg of next 2 rows. Dec 1 st off ea bed at ea end of alt rows 6 times, every 3rd row 4 times. 81(87, 93) sts.
Work to RC 84(90, 96)

Shape neck: Push 31(34, 37) sts on both beds at end opp carr to D. K 1 row. Cast off centre 19 sts from ea bed at beg of row. K 2 rows. At neck edge cast off 4 sts on ea bed, K 2 rows. Cast off 3 sts. Dec 1 st on ea bed alt rows 3 times, 4th rows 3 times. 18(21, 24) sts. K to RC 109(115, 121).

Shape shoulder: (Push 6 sts to D, K 1 row, YUD) 2(3, 3) times. K 1 row across all sts. Remove on waste. Return rem sts to WP, rep neck and shoulder shapings.

FRONT – Cast on as for back. At RC 6, start lacy patt, working first transfer at centre of machine. Cont in lacy patt, working armhole shapings as for back from RC 170 (180, 190). K to RC 34(40, 46).

Shape neck: Push 29(32, 35) sts at end opp carr to D. K 1 row. Cast off centre 23 sts. Work on rem sts, dec 1 st at neck edge every row 4 times, alt rows twice, and 4th rows 3 times, 6th rows twice. 18(21, 24) sts.

SLEEVES – Select 66(70, 74) n/s on MM. Cast on as for back. Work 20 rows of lace patt, starting from row 6. Inc 1 st ea end of 6th row and foll 4th rows to 84(88, 92) sts. K to RC 46(50, 54).

Shape top: RCO. Cast off 4(5, 6) sts at beg of next 2 rows. Dec 1 st ea end of every 4th rows to 60 rows. Dec 1 st ea end of alt rows 5(6, 7) times, dec 1 st ea end of every row until 16 sts rem. Cast off loosely.

TO FINISH – Graft join shoulder seams. Work 2 rows of double crochet around neck edge. Set in sleeves. Close side and sleeve seams.

WASHING INSTRUCTIONS – Warm hand wash and rinse thoroughly. Do not wring. Wrap in towel to remove excess water. Gentle machine wash and spin is also satisfactory. Dry flat out of sunlight.

IRONING INSTRUCTIONS – Hot iron must not be used. Steam iron – press very lightly on reverse side only, using an ironing cloth. Do not press rib.

semi-circular shawl 4

Instructions suitable for Models 322/323 Only.

MEASUREMENTS –

54" wide
27" deep

MATERIALS –

Riverhart "Champagne" 2-Ply yarn
about 255 grams Main Colour
about 28 grams ea of 3 Contrast Colours.

TENSION –
36 sts and 54 rows to 10 cms over st st.
Suggested tension TD 2.
Check tension to ensure accuracy.

PATTERN – Basic Punch Card 5A, used as single motif (with 2 strands of yarn in feeder 2)
C1 – rows 1-15, 49-58
C2, C3 – rows 16-48

Position for single motif as follows:–

PANEL 1 –
RCO – C2 12 sts either side of 0
120 – C3 Left of 0 n/s 13-36
240 – C2 12 sts ea side of 0

PANEL 2 –
RCO – C3 Left of 0, n/s 13-36
60 – C2 Right of 0, n/s 37-60
180 – C3 12 sts ea side of 0

PANEL 3 –
RCO – C2 Right of 0, n/s 13-36
60 – C3 Left of 0, n/s 13-36
150 – C2 12 sts ea side of 0

PANEL 4 –
RCO – C3 Right of 0, n/s 37-60
60 – C2 Left of 0, n/s 13-36
210 – C3 12 sts ea side of 0

PANEL – (Make 4)
Wind on 195 sts. TD 2, K 2 rows. Transfer 4 sts to next needle across row. K 1 row. Carr at left. (Push 77 sts opp. end from carr to D, K 1 row, YUD) twice.

While winding yarn under next needle at D, K next 28 rows, and return needles from D to C at opp end from carr as follows:

15 sts twice
7 sts 4 times
6 sts 4 times
5 sts 6 times
4 sts 6 times
3 sts 6 times.

(All needles are returned to B).

RCO. TD 2. Dec 1 st ea end. Insert punch card in position, patt selector over selected needles, work single motif, and dec 1 st ea end every 3rd and 7th rows. (i.e. 2 sts ea end are dec over every 7 rows) until 5 sts rem. K 2 rows. Dec 1 st ea end. K 2 rows. Cast off (RC 336).

FINISHING – Using mattress st, join panels to form a semi-circle. Divide long edge into 3 equal parts (225 rows). With wrong side facing, pick up 151 sts along 1/3 of edge. Inc 1 st for seam. *TD 1.1. K 10 rows. Transfer alt sts to next needle, TD 4, K 1 row. TD 1.1, K 10 rows. Pick up hem. Close TD 4. Cast off.** Pick up 151 sts over next 1/3, inc 1 st ea end for seams. Work from * to **. Pick up 151 sts over rem 1/3. Inc 1 st for seam. Work from * to **.



SEMI-CIRCULAR SHAWL

TASSELS – Using 2 strands of yarn, work 1 row of DC around remaining edge. Take 48" lengths of yarn, fold in 4, cut. Fold in half, place tappet tool through first hole, draw loops through and behind latch, draw eight ends through and tighten. Cont to make tassels thus – 3 MC, 1 C1, 3 MC, 1 C2, 3 MC, 1 C3, to other edge.

WASHING INSTRUCTIONS – Warm hand wash and rinse thoroughly. Do not wring. Wrap in towel to remove excess water. Gentle machine wash and spin also satisfactory. Dry flat away from sunlight. Press with cool iron only. Do not steam iron.

short sleeved cardigan top and hat

5

Instructions suitable for all Models with Ribber.

MEASUREMENTS –

Size	10	12	14	16	18
To fit Bust	81	86	91	96	101
Length to shoulder (Cardigan)	49	54	59	64	69

MATERIAL –

Riverhart "Champagne"
About 300(325, 350, 375, 400) grams Main Colour.
Small amount of C1, C2 and C3 (3 contrast colours).

TENSION – MT 36 sts and 54 rows to 10 cms over st st.
Suggested tension 2.
Check tension to ensure accuracy.

NOTE – Use close knit bar from Ribber.

JACKET – Using waste cast on 137(141, 145, 159, 173) sts, and knit several rows with waste. MC MT minus 1 K25 rows, MT K 1 row, MT minus 1 K 25 rows. Pick up hem MT plus 1 close hem. *RCO MT inc 1 st ea end of every foll **40th row.** 3 times. Work to RC 204(208, 212, 216, 220).

Shape armholes: RCO.
Cast off 6(6, 6, 7, 8) sts at beg of next 2 rows. Dec 1 st ea end every row 6(6, 5, 5, 5) times, alt rows 6(6, 5, 5, 5) times then every 3rd row 6 times. 95(99, 107, 119, 131) sts. Work to RC 102(108, 114, 120, 126).

Shape shoulders and neck: Remove centre 37(41, 45, 49, 53) sts on waste. Work on 29(29, 31, 35, 39) sts nearest carr pushing rem to D. At neck edge dec 1 st every row 2(2, 4, 6, 8) times and following alt rows 3(3, 2, 1, 0) times, *while at the same time* with carr at neck edge (push 6 sts at armhole edge to D Knit 1 row YUD K 1 row) 4 times, (Push 0(0, 0, 3, 6) sts to D Knit 1 row YUD K 1 row) once. K 1 row across all shoulder sts. Remove on waste. Work rem sts for second shoulder to correspond.

FRONT – Select 38(46, 54, 62, 70) n/s and work as for back to *RCO. MT. Inc 1 st at beg of every foll 40th row 3 times (side edge). Work to RC 180.

Shape neck: Dec 1 st at front edge this and every foll 20th row to RC 204(208, 212, 216, 220) carr at armhole edge.

Shape armhole: RCO. Continue neck shaping while at armhole edge. Cast off 4(5, 6, 7, 8) sts at beg of next row at armhole edge, dec 1 st every row 5 times, alt rows 5 times every 3rd row 2(4, 4, 4, 4) times. Continue dec at neck edge till 24(24, 25, 28, 31) sts rem. Work to RC 102(108, 114, 120, 126).

Shape shoulder: Carriage at neck (Push 6 sts to D at end opp carr, K 1 row, YUD, K 1 row) 3(3, 3, 3, 4) times. K 1 row across all sts. Remove on waste.
Work second front reversing all shapings.

SLEEVES – Set machine for double rib. Select 88(94, 100, 106, 112) n/s on MM and corres ribber needles RCO. MC. BOCO. MT minus 2. Work in stripes 6 rows MC, 4 rows C1, 4 rows C2, 4 rows C3*, 4 rows MC, 4 rows C1, 4 rows C2, 4 rows C3**. Rep from * to ** once ((RC 50) .
Transfer to MM, RCO MC MT inc 1 st ea end of this and foll 6th rows to 100(108, 116, 124, 136) sts.
Work to RC 56(60, 64, 68, 72).

Shape top: RCO. Cast off 5(5, 5, 6, 7) sts at beg of next 2 rows. Dec 1 st ea end every 3rd row 14 times. K 4 rows. Dec 1 st ea end of alt rows to 52(56, 60, 64, 68) sts. Dec 1 st ea end of every row until 18 sts rem. Cast off. Graft join shoulder seams.



SHORT SLEEVED CARDIGAN TOP & HAT

BANDS – These are worked in 2 sections for size 8 and 10. 3 sections for sizes 12, 14 and 16.
Set machine for double rib. Select 200(200, 170, 180, 190) n/s on main machine and bring ribber n/s to corres. Work 50 rows of stripes as for sleeves. Tension as tight as poss. Transfer to MM.
Sizes 8 & 10
Pick up sts from front to centre back. MT plus 3 close. Cast off.
Sizes 12, 14 and 16
Pick up 170(180, 190) from front edge. MT plus 3 close. Cast off.

Back Band: For sizes 12, 14, 16. Select 54(67, 73) n/s on MM and ribber n/s to correspond. Work 50 rows of stripes as for front band. Pick up sts from back neck MT plus 3 close. Cast off.

TO FINISH – Using mattress st set in sleeves. Close side and sleeve seams.

TOP – Front – Select 105(119, 133, 147, 161) n/s on MM and bring ribber n/s to correspond for double rib. MC.
BOCO tight as possible, MT minus 2, MC work 6 rows, C1 4 rows, C2 4 rows, C3 4 rows (18 rows). Transfer to MM. RCO. MC MT dec 1 st ea end of 20th row 3 times. Work to RC 100. Inc 1 st ea end of this and foll 20th row 3 times. Work to RC 158(164, 170, 176, 182). *Remove MM feeder and replace with ribber feeder. Bring ribber n/s into D for double rib. Tension as tight as possible. MC K 1 row. Insert cast on comb and weights. Work 3 rows MC 4 rows, C1, 4 rows, C2, 4 rows, C3. Transfer to MM * M/c M/t. RCO. Push 2 sts to D at end opp carr. K 1 row YUD 18 (22, 26, 30, 34) times. Return 2 inside sts to B at end opp carr 18(22, 26, 30, 34) times. RC 36(44, 52, 60, 68). Rep from * to *. Cast off.

BACK – Select 105(119, 133, 147, 161) n/s on MM and bring up corres needles on ribber for double rib. Cast on as for front to RC 18. RCO. Dec 1 st ea end of 20th row 3 times. Work to RC 100. Inc 1 st ea end of this and foll 20th row 3 times. Work to RC 148(154, 160, 166, 172).
Shape back: RCO. Carr at left. Push 72(79, 86, 93, 100), sts at end opp carr to D, K 1 row YUD K 1 row. Work on sts remaining in B. *(Push 10 sts at centre back to D, K 1 row YUD, K 1 row) 3(4, 4, 4, 4) times. Return all sts to B. K 1 row**. Repeat shaping on RHS from * to **.
Remove MM feeder and replace with ribber feeder. Bring ribber n/s into position for double rib.
Work 2 sets of stripes tension tight as possible. Cast off.

TO FINISH – Using mattress st close side seams.
Work 2 straps. Cast on 9 sts for tubular K work to RC 320(340, 360, 380, 400). Cast off. Sew into position.

CENTRE FRONT TIE – Cast on 9 sts, work as for strap. Work to RC 120. Gather front from top rib to below mid-riff rib thread tie and sew into position.

HAT – Select 140 n/s on MM for double rib. BOCO MC tension tight as possible. Work to RC 6. C1 4 rows, C2 4 rows, C3 4 rows. RCO. Transfer to MM MC MT. Work to RC 50. Set machine for double rib as for midriff band on front of top. Work 1 set of stripes. Transfer to MM. MT MC K 4 rows.
Push 70 sts to D at end opp carr. K 1 row. (Push 1 st to D at opp end of carr K 1 row YUD) 16 times. (Push 2 sts to D K 1 row YUD) 16 times. (Return inside 24 sts at end opp carr to B K 1 row) twice. Remove 70 sts that have had the shaping worked in on waste. Return remaining 70 sts to B and rep shaping for second half.

TO FINISH – Graft seam. Close back seam. Make tie as for top front with tie front lower edge to rib insert.

WASHING INSTRUCTIONS – Warm hand wash and rinse thoroughly. Do not wring. Wrap in towel to remove excess water. Gentle machine wash and spin is also satisfactory. Dry flat out of sunlight.

IRONING INSTRUCTIONS – Hot iron must not be used. Steam iron – press very lightly on reverse side only, using an ironing cloth. Do not press rib.

peasant blouse 6

Instructions suitable for all Models with Ribber

MEASUREMENTS –

To fit size	8	10	12
Chest	76 cms	81 cms	86 cms
Side seam	30 cms	30 cms	30 cms

MATERIALS –

Riverhart "Champagne"
about 170(170, 170) grams MC
small quantity Contrast Colour for smocking.

PATTERN – Body K 3 P 1 rib. Front only caught with smocking. Sleeves st st.

TENSION – MT 36 sts and 54 rows to 10 cms measured over st st. Suggested tension TD 2. Recommended tension for K 3 P 1 rib MT minus 2.
Tension for sleeves MT.
Please check tension to ensure accuracy.

BACK – Use close knit bar.
Select 139(149, 159) n/s for single rib, tension tightest possible. Work BOCO. MT minus 2 cont in rib to RC 24. Transfer alt sts from Ribber to MM for K 3 P 1 rib. RCO MT minus 2 work in 3/1 rib to RC 140.

PEASANT BLOUSE

Shape armholes: RCO. * Cast off 7(8, 9) sts at beg of next 2 rows. Dec 1 st ea end of every row 3 times, alt rows 4 times 3rd row 3 times 105(113, 121) sts. K to RC 86(86, 90) .

Shape neck: Remove centre 33 sts on waste.
Work on sts nearest carr only.
At neck edge cast off 4 sts alt rows 3 times, 3 sts twice, dec 1 st every alt row until 18 sts rem. K to RC 100(110, 120). Remove on waste.
Work second shoulder to corres.

FRONT – Work as for back to *.
Cast off 7(8, 9) sts at beg of next 2 rows, dec 1 st ea end of next 2 rows (RC 4).

Shape neck: While shaping neck cont dec 1 st at armhole edge next row and foll alt rows 4 times and 3rd rows 3 times, *while at the same time* divide for neck; remove centre 33 sts on waste, dec 1 st at neck edge every row 8 times alt rows 8 times and 3rd rows 2 times, 4th row till 18 sts rem. Work to RC 100(110, 120). Remove on waste.

SLEEVES – Select 189 n/s on MM. Cast on with waste. MT K 10 rows MT, plus 2 K 1 rows MT, K 10 rows. Pick up sts for hem MT. Close. RCO. Dec 1 st ea end of every 10th row. K to RC 56. RCO.

Shape top: Cast off 7(8, 9) sts at beg of next 2 rows, dec 1 st ea end of alt rows 6 times, 3rd row 12 times, alt rows to 90 rows, every row to 128 rows. Cast off rem 12 sts.

BANDS – Back – Place 33 sts from waste onto 25 n/s. From ea side of back neck, pick up 23 sts (71 sts) MT minus 2 K 5 rows MT K 1 row MT minus 2, K 5 rows, pick up hem. Close. Cast off.

FRONT – Place 33 sts from waste onto 25 n/s. Pick up 66 sts from ea side of neck (157) sts. rep as for back band.

TO FINISH – Close shoulder seams. Set in sleeves. Close side and sleeve seams. Make cords for sleeves. Smock bodice with contrast.

For Smocking: Using a double thread in contrast colour, catch rib sts as desired. Fasten ea catch firmly to eliminate pulling.

WASHING INSTRUCTIONS – Warm hand wash and rinse thoroughly. Do not wring. Wrap in towel to remove excess water. Gentle machine wash and spin is also satisfactory. Dry flat out of sunlight.

IRONING INSTRUCTIONS – Hot iron must not be used. Steam iron – press very lightly on reverse side only, using an ironing cloth. Do not press rib.

Lady's Blouse 7

Instructions suitable for Models 312, 313, 321, 322, 323.

MEASUREMENTS –

To fit size	8	10	12	14	16
Bust	76 cms	81 cms	86 cms	91.5 cms	96.5 cms
Side seam	38 cms	38 cms	39 cms	39 cms	40 cms

MATERIALS –

Riverhart "Champagne"
about 220(226, 240, 250, 260) grams

MAIN TENSION – MT = 38 sts and 58 rows to 10 cms over st st. Check tension to ensure accuracy. Suggested Tension TD 1.2

FRONT YOKE PATTERN STITCH – Punch card No. 3A. Work 4 rows tuck and 2 rows st st, card on stop.

BACK – Select 129(139, 149, 159, 169) n/s. Cast on with waste yarn. K several rows. MC, MT minus 1, K 20 rows, MT plus 1, K 1 row, MT minus 1, K 20 rows. Pick up hem

MT plus 1. Close. RCO. K 20 rows MT. Dec 1 st ea end of this and foll 10th rows 5 times. K 30 rows. Inc 1 st ea end of this and foll 10th rows to 127(137, 147, 157, 167) sts. K to 200(200, 210, 210, 220) rows.

Shape armholes: RCO. Cast off 4(5, 6, 6, 7) sts at beg of next 2 rows, 2 sts at beg of next 4 rows. *Dec 1 st ea end of every row 3 times, alt rows 5 times and 4th rows 4 times. 87(95, 103, 113, 121) sts. K to 110(114, 118, 122, 126) rows.

Shape shoulder and neck: Remove centre 19 sts on waste. Push sts to D at end opp carr. Carr at neck edge. (Cast off 2 sts at neck edge, push 6 sts to D at armhole edge, K 1 row, YUD, K 1 row) 3(4, 5, 5, 6) times. K 1 row across rem 28 (30, 32, 37, 39) sts. Remove on waste. Rep for other shoulder.

FRONT – Work as for back to *. Dec 2 centre sts. Remove all sts on waste. Turn and replace right front with right side facing. Insert PC and set. Leave stop knob on stop and comm tuck st, keeping neck edge straight. Dec 1 st at armhole edge every row 3 times, alt rows 5 times, and 4th rows 4 times. K to RC 98(102, 106, 110, 114). Cast off 8 sts at neck edge. Cast off 2 sts at neck edge twice, dec 1 st alt rows 4 times and 4th rows 0(2, 4, 4, 6) times.

Shape shoulder: from RC 125(130, 134, 138, 142). (Push 6 sts to HP, K 1 row, YUD, K 1 row), 3(4, 5, 6, 6) times. K 1 row across all sts, remove on waste. Rep for other side reversing shapings.

SLEEVES – Select 160 n/s. Cast on with waste. MC. MT minus 1, K 7 rows. MT plus 1, K 1 row. MT minus 1, K 7 rows. Pick up hem, MT plus 1, and close.
RCO. MT, dec 1 st ea end of every 10th row to 140(130, 120, 110, 100) rows. 132(134, 136, 138, 140) sts. K to 260 rows.

Shape top: RCO. Cast off 5(6, 7, 7, 8) sts at beg of next 2 rows. Cast off 2 sts at beg of next 4 rows. Dec 1 st ea end of 4th rows 4 times. Dec 1 st ea end of alt rows to 84(86, 88, 90, 92) rows. Dec 1 st ea end of every row to 102(104, 106, 108, 110) rows. Cast off rem sts.

TO FINISH – Graft join shoulder seams. With wrong side facing, pick up 73(75, 77, 79, 81) sts from one side front, neck and back. MT minus 1, K 7 rows. MT plus 1, K 1 row. MT minus 1, K 7 rows, pick up hem, MT plus 1, close. Cast off. Pick up 21(24, 27, 30, 33) sts along other side neck.

LADY'S BLOUSE

Work to corres. Join neckband with mattress st. Set in sleeves, close side and sleeve seams leaving small opening in sleeve hem. Make three cords. Thread through hems at sleeves and neck. Work 1 row DC around front opening.

WASHING INSTRUCTIONS – Warm hand wash and rinse thoroughly. Do not wring. Wrap in towel to remove excess water. Dry flat away from sunlight. Press with cool iron only. Do not use steam iron.

halter top 8

Instructions suitable for all Models with Ribber.

MEASUREMENTS –

To fit size	10
Bust	81 cms

MATERIALS –

Riverhart "Champagne" about 56 grams
small amount of contrast (CC)

TENSION – MT = 36 sts and 54 rows to 10 cms (4") on TD 2, measured over st st. Recommended rib tension MT minus 2. Please check tension to ensure accuracy.

FRONT – Select 46 n/s on MM. Set machine for double rib work over close knit bar. BOCO tightest possible. RT. Work to RC 240. Transfer to MM. Cast off.

SIDE STRAPS – (Make 4).
Select 4 n/s on MM. Set machine for double rib work over close K bar. CC. BOCO tightest possible. RT. Work to RC 250. Transfer to MM. Cast off.

NECK TIE – (Make 1)
Select 4 n/s on MM. Work as for side straps to RC 500.

TO FINISH – Select 107 n/s on MM for st st. MC MT minus 2, K 6 rows. MT K 1 row, MT minus 2 K 6 rows. Pick up hem. From lower edge of front piece pick up 107 sts MT close. Cast off. With gathering thread gather both ends of fronts as tight as possible. Sew straps to corners. Gather front with neck tie. Tie ties at back.

WASHING INSTRUCTIONS – Warm hand wash and rinse thoroughly. Do not wring. Wrap in towel to remove excess water. Gentle machine wash and spin is also satisfactory. Dry flat out of sunlight.

IRONING INSTRUCTIONS – Hot iron must not be used. Steam iron – press very lightly on reverse side only, using an ironing cloth. Do not press rib.



HALTER TOP

LACE TOP PATTERN 3, PAGE 3.

Transfers worked every 4th row.

40 rows to 1 complete pattern

O is empty needle

is 2 st on needle

 3 st on needle



Centre of Machine

Memo-Matic*

BOOK 41

KNITTING FASHIONS BY SINGER

*TRADE MARK OF THE SINGER COMPANY